EXTENSION ACTIVITY INTRODUCTION TO COLLEGE CHEMISTRY

RADII TRENDS

Activity Directions

playmada"

This activity will serve as practice for the topics covered in the first tutorial level, as well as help you connect those concepts to the periodic table. This activity is best used in conjunction with not only the tutorial levels, but also supplementary learning resources such as course lectures, textbook reading, etc. The goal of this activity is to use atoms you build in the sandbox to explore missing parts of periodic tables and identify periodic table trends. You will frequently be asked to "Lock It In". These are simply opportunities for you to solidify what you have accomplished in each task and help ensure you meet each objective. 1. Log into Collisions and navigate to the Radii Trends Game.

1

- 2. Play the Tutorial levels, if you haven't done so already.
- 3. Exit the levels and enter the Radii Trends sandbox.
- 4. Follow all instructions as written below. Be sure to reference your course's textbook, lecture notes, etc. as needed.





Demonstrate an understanding of the relationship between atomic number, proton number, the number of electrons, and the way these numbers increase on the periodic table.

TASK 1: For each of the elements indicated on the periodic table below, build the correct atom in the sandbox with the given number of electrons and then complete the missing data in the gray box.



RADII TRENDS INTRODUCTION TO COLLEGE CHEMISTRY - EXTENSION ACTIVITY

© 2021 PlayMada Games LLC. All Rights Reserved.

playmada^{**}



Demonstrate an understanding of the relationship between atomic number, proton number, the number of electrons, and the way these numbers increase on the periodic table.

LOCK IT IN:

Identify the relationship between atomic number, number of protons, and the number of electrons in a neutral atom as you go right across a period and down a group by filling in the arrows below with the terms "increasing" or "decreasing".

Atomic Number:

Proton Number:

 Number of Electrons:



RADII TRENDS INTRODUCTION TO COLLEGE CHEMISTRY - EXTENSION ACTIVITY

playmada^{**}



Demonstrate an understanding of how effective nuclear charge determines trends in atomic radii.

TASK 2: Take a look at the six original atoms that you made in the sandbox. Order these six elements in order of increasing atomic radius in the spaces below.



RADII TRENDS INTRODUCTION TO COLLEGE CHEMISTRY - EXTENSION ACTIVITY





Demonstrate an understanding of how effective nuclear charge determines trends in atomic radii.

TASK 3: Using what you know about electron configurations, fill in the blanks with the orbital in which the last electron for indicated elements will be located. Notice how many columns are highlighted in each color to give you an idea of how many electrons can fit in that sublevel. You must also label each "block" of the periodic table with the correct orbital letter. The f-block has already been completed.





Periodic Table 2 by Roshan220195, CC BY-SA 3.0



RADII TRENDS INTRODUCTION TO COLLEGE CHEMISTRY - EXTENSION ACTIVITY





Demonstrate an understanding of how effective nuclear charge determines trends in atomic radii.

LOCK IT IN:

The periodic table can also be used to determine electron configuration. Fill in the highlighted spaces on the periodic table with the location of the last added electron in a ground state atom of that element. You will notice that you have already created some in the sandbox. However, there are five new ones you will also need to create. Hydrogen and helium have been filled in so that you can see the proper formatting. Pay careful attention to the energy level in which you are putting your final electron while working in the sandbox.







RADII TRENDS INTRODUCTION TO COLLEGE CHEMISTRY - EXTENSION ACTIVITY





Demonstrate an understanding of how effective nuclear charge determines trends in atomic radii.

LOCK IT IN:

Create a nitrogen atom (Z = 7) and try skipping the first energy level by adding all of your electrons to the second energy instead. Explain why the **aufbau principle** prevented you from doing so.



LOCK IT IN:

Try creating the same nitrogen atom. As you start to fill the 2p orbitals, put two electrons together in the first orbital. Explain how this violates **Hund's Rule.**



RADII TRENDS INTRODUCTION TO COLLEGE CHEMISTRY - EXTENSION ACTIVITY

playmada^{**}



Demonstrate an understanding of how effective nuclear charge determines trends in atomic radii.



Since all electrons share the same negative charge, repulsive forces help keep them generally separated. This effect is seen with "shielding", which occurs when core (nonvalence) electrons reduce the **effective nuclear charge** or the attractive forces of the protons on the valence electrons. These electrons closer to the nucleus weaken the pull of the protons on the valence electrons and thus allow them to be more easily removed. Accordingly, increasing numbers of protons increases the effective nuclear charge on the valence electrons are still in the same energy level. Addition of electrons in new energy levels increases shielding and thus reduces the attractive forces of the protons on the valence electrons even further.

playmada

Consider the concept using the image of periods 4 and 5 of the periodic table below. Of the indicated elements, krypton (Kr) with its 36 protons has a larger effective nuclear charge on its valence electrons than chromium (Cr) which has a larger effective nuclear charge on its valence electrons than potassium (K). The effective nuclear charge drops dramatically from krypton (Kr) to rubidium (Rb) despite the increased nuclear charge because the valence electrons are in a new energy level. However, note that in going down Group 1 the effective nuclear charge on the valence electrons of rubidium is slightly higher than that of potassium.

potassium 19	calcium 20	scandium 21	titanium 22	vanadium 23	chromium 24	manganese 25	iron 26	cobalt 27	nickel 28	copper 29	zinc 30	gallium 31	germanium 32	arsenic 33	selenium 34	bromine 35	krypton 36
ĸ	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
39.098	40.078	44.956	47.867	50.942	51.996	54.938	55.845	58.933	58.693	63.546	65.39	69.723	72.61	74.922	78.96	79.904	83.80
rubidium	strontium	yttrium	zirconium	niobium	nolybdenum	technetium	ruthenium	rhodium	palladium	silver	cadmium	indium	tin	antimony	tellurium	iodine	xenon
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Aa	Cd	In	Sn	Sb	Te	- T -	Xe
85.468	87.62	88.906	91.224	92,906	95,94	[98]	101.07	102.91	106.42	107,87	112.41	114.82	118.71	121.76	127.60	126.90	131.29







Demonstrate an understanding of how effective nuclear charge determines trends in atomic radii.

þ

Use the information from the text above to identify the trend in effective nuclear charge as you go right across a period by filling in the arrow below with the term "increasing" or "decreasing".





RADII TRENDS INTRODUCTION TO COLLEGE CHEMISTRY - EXTENSION ACTIVITY

playmada™

Q A M

OBJECTIVE 3

TASK 4: Take a look at the six original atoms that you made in the sandbox for task one. You should notice a red glow around them that varies in strength. This glow represents the **electronegativity** of the atom. Electronegativity describes an atom's tendency to attract electrons when it is bonded to another atom. It will become very important in later tutorials but shows a clear periodic table trend. Order these five elements in order of increasing electronegativity in the spaces below.



RADII TRENDS INTRODUCTION TO COLLEGE CHEMISTRY - EXTENSION ACTIVITY

playmada

وم دLOSURE

CLOSURE: Compare the two atoms below (chlorine and magnesium) on their proton numbers, number of electrons, atomic radii, effective nuclear charge, and electronegativities using only a periodic table. Enter a greater than (>) or less than (<) symbol into the table. Then provide a brief justification as to why you chose the symbol you did using what you have learned. Once you have done so, create the atoms in the Sandbox to confirm your comparisons.





RADII TRENDS INTRODUCTION TO COLLEGE CHEMISTRY - EXTENSION ACTIVITY

playmada^{**}